

PRICE LIST 2016



Gebo Quick compression fittings

Description	Diameter	Application	Code	Box	DMOG
QA - compression and male thread	1/2" (19,5-21,8)	steel, PE	17.195.00.01	18	7,55
	3/4" (24,5-27,3)	steel, PE	17.195.00.02	18	8,86
	1" (31,4-34,2)	steel, PE	17.195.00.03	15	10,79
	1 1/4" (39,5-42,9)	steel, PE	17.195.00.04	10	15,97
	1 1/2" (47,9-51,5)	steel, PE	17.195.00.05	8	16,62
	2" (59,7-63,5)	steel, PE	17.195.00.06	6	29,11
QI - compression and female thread	1/2" (19,5-21,8)	steel, PE	17.195.01.01	18	7,63
	3/4" (24,5-27,3)	steel, PE	17.195.01.02	18	9,09
	1" (31,4-34,2)	steel, PE	17.195.01.03	15	11,42
	1 1/4" (39,5-42,9)	steel, PE	17.195.01.04	10	16,19
	1 1/2" (47,9-51,5)	steel, PE	17.195.01.05	8	17,05
	2" (59,7-63,5)	steel, PE	17.195.01.06	6	28,44
QO - connector	1/2" (19,5-21,8)	steel, PE	17.195.02.01	18	12,10
	3/4" (24,5-27,3)	steel, PE	17.195.02.02	15	14,47
	1" (31,4-34,2)	steel, PE	17.195.02.03	15	17,69
	1 1/4" (39,5-42,9)	steel, PE	17.195.02.04	10	25,48
	1 1/2" (47,9-51,5)	steel, PE	17.195.02.05	8	27,05
	2" (59,7-63,5)	steel, PE	17.195.02.06	6	46,74
QT - Tee, downflow with female thread	1/2" (19,5-21,8)	steel, PE	17.195.04.01	-	13,76
	3/4" (24,5-27,3)	steel, PE	17.195.04.02	-	16,30
	1" (31,4-34,2)	steel, PE	17.195.04.03	-	20,21
	1 1/4" (39,5-42,9)	steel, PE	17.195.04.04	-	29,05
	1 1/2" (47,9-51,5)	steel, PE	17.195.04.05	-	31,73
	2" (59,7-63,5)	steel, PE	17.195.04.06	-	50,01
QWO - elbow 90° with 2 compression ends	1/2" (19,5-21,8)	steel, PE	17.195.08.01	-	13,22
	3/4" (24,5-27,3)	steel, PE	17.195.08.02	-	14,10
	1" (31,4-34,2)	steel, PE	17.195.08.03	-	19,50
	1 1/4" (39,5-42,9)	steel, PE	17.195.08.04	-	29,28
	1 1/2" (47,9-51,5)	steel, PE	17.195.08.05	-	33,15
	2" (59,7-63,5)	steel, PE	17.195.08.06	-	39,02
QTO - Tee, downflow with 3 compression ends	1/2" (19,5-21,8)	steel, PE	17.195.10.01	-	18,21
	3/4" (24,5-27,3)	steel, PE	17.195.10.02	-	21,37
	1" (31,4-34,2)	steel, PE	17.195.10.03	-	26,57
	1 1/4" (39,5-42,9)	steel, PE	17.195.10.04	-	38,27
	1 1/2" (47,9-51,5)	steel, PE	17.195.10.05	-	41,58
	2" (59,7-63,5)	steel, PE	17.195.10.06	-	70,61



PRICE LIST 2016



Gebo Clamps, cast iron sealing and tapping clamps

Description	Diameter	Application	Code	Box	DIOC
DSK - sealing clamp	3/8" (17,2)	steel pipe	01.260.28.00	18	7,50
	1/2" (21,3)	steel pipe	01.260.28.01	18	5,59
	3/4" (26,9)	steel pipe	01.260.28.02	18	6,34
	1" (33,7)	steel pipe	01.260.28.03	18	8,00
	1 1/4" (42,4)	steel pipe	01.260.28.04	10	9,89
	1 1/2" (48,3)	steel pipe	01.260.28.05	6	14,10
	2" (60,3)	steel pipe	01.260.28.06	6	18,62
	2 1/2" (76,1)	steel pipe	01.260.28.07	-	24,98
	3" (88,9)	steel pipe	01.260.28.08	-	29,50
	4" (114,3)	steel pipe	01.260.28.09	-	39,60
	20mm	PE pipe	03.260.28.20	18	6,49
	25mm	PE pipe	03.260.28.25	18	7,59
	32mm	PE pipe	03.260.28.32	18	7,50
	40mm	PE pipe	03.260.28.40	10	11,76
	50mm	PE pipe	03.260.28.50	6	13,63
	63mm	PE pipe	03.260.28.63	6	16,23
	75mm	PE pipe	03.260.28.75	-	25,69
	90mm	PE pipe	03.260.28.90	-	32,44
110mm	PE pipe	03.260.28.110	-	45,41	
ANB - tapping clamp, downflow with female thread	3/8" x 3/8"	steel/steel pipe	01.261.28.0000	13	8,90
	1/2" x 1/2"	steel/steel pipe	01.261.28.0101	15	6,47
	3/4" x 1/2"	steel/steel pipe	01.261.28.0201	15	7,68
	1" x 1/2"	steel/steel pipe	01.261.28.0301	15	9,33
	1" x 3/4"	steel/steel pipe	01.261.28.0302	15	9,33
	1 1/4" x 3/4"	steel/steel pipe	01.261.28.0402	8	11,14
	1 1/2" x 3/4"	steel/steel pipe	01.261.28.0502	6	15,46
	2" x 1"	steel/steel pipe	01.261.28.0603	4	20,53
	2 1/2" x 1"	steel/steel pipe	01.261.28.0703	-	25,86
	2 1/2" x 1 1/4"	steel/steel pipe	01.261.28.0704	-	26,02
	2 1/2" x 1 1/2"	steel/steel pipe	01.261.28.0705	-	26,10
	3" x 1"	steel/steel pipe	01.261.28.0803	-	30,87
	3" x 1 1/4"	steel/steel pipe	01.261.28.0804	-	31,09
	3" x 1 1/2"	steel/steel pipe	01.261.28.0805	-	31,20
	3" x 2"	steel/steel pipe	01.261.28.0806	-	38,61
	4" x 1"	steel/steel pipe	01.261.28.0903	-	40,76
	4" x 1 1/4"	steel/steel pipe	01.261.28.0904	-	40,18
	4" x 1 1/2"	steel/steel pipe	01.261.28.0905	-	40,31
	4" x 2"	steel/steel pipe	01.261.28.0906	-	51,51
	20mm x 1/2"	PE/steel pipe	03.261.28.2001	-	7,44
	25mm x 1/2"	PE/steel pipe	03.261.28.2501	-	8,06
	32mm x 1/2"	PE/steel pipe	03.261.28.3201	-	8,88
	32mm x 3/4"	PE/steel pipe	03.261.28.3202	-	8,79
	40mm x 3/4"	PE/steel pipe	03.261.28.4002	-	10,94
	50mm x 3/4"	PE/steel pipe	03.261.28.5002	-	14,75
	63mm x 1"	PE/steel pipe	03.261.28.6303	-	17,93
	75mm x 1"	PE/steel pipe	03.261.28.7503	-	27,20
	75mm x 1 1/4"	PE/steel pipe	03.261.28.7504	-	27,37
	75mm x 1 1/2"	PE/steel pipe	03.261.28.7505	-	27,20
	90mm x 1"	PE/steel pipe	03.261.28.9003	-	33,78
	90mm x 1 1/4"	PE/steel pipe	03.261.28.9004	-	33,91
	90mm x 1 1/2"	PE/steel pipe	03.261.28.9005	-	34,03
	90mm x 2"	PE/steel pipe	03.261.28.9006	-	40,59
	110mm x 1"	PE/steel pipe	03.261.28.11003	-	46,25
110mm x 1 1/4"	PE/steel pipe	03.261.28.11004	-	46,57	
110mm x 1 1/2"	PE/steel pipe	03.261.28.11005	-	46,68	
110mm x 2"	PE/steel pipe	03.261.28.11006	-	58,46	
Heavy sealing clamps					
DS - Heavy sealing clamp	1/2" (21,3)	steel pipe	01.252.28.01	-	13,82
	3/4" (26,9)	steel pipe	01.252.28.02	-	14,79
	1" (33,7)	steel pipe	01.252.28.03	-	17,01
	5/4" (42,4)	steel pipe	01.252.28.04	-	18,40
	6/4" (48,3)	steel pipe	01.252.28.05	-	24,32
	2" (60,3)	steel pipe	01.252.28.06	-	24,49
	2 1/2" (76,1)	steel pipe	01.252.28.07	-	29,56
	3" (88,9)	steel pipe	01.252.28.08	-	33,20
4" (114,3)	steel pipe	01.252.28.09	-	38,74	



PRICE LIST 2016



Gebo Special compression fittings (long version)

Description	Diameter	Application	Code	Box	DMOC
A - compression and male thread	3/8" (17,2)	steel	01.150.00.00	15	9,18
	1/2" (21,3)	steel	01.150.00.01	10	9,31
	3/4" (26,9)	steel	01.150.00.02	10	12,32
	1" (33,7)	steel	01.150.00.03	10	15,07
	5/4" (42,4)	steel	01.150.00.04	5	19,89
	6/4" (48,3)	steel	01.150.00.05	3	24,62
	2" (60,3)	steel	01.150.00.06	3	37,63
	1/2" (20,0)	black steel	02.150.00.0120		15,72
	3/4" (25,0)	black steel	02.150.00.0225		18,17
	1" (31,8)	black steel	02.150.00.03318		20,34
	5/4" (38,0)	black steel	02.150.00.0438		31,50
	5/4" (44,5)	black steel	02.150.00.04445		24,12
	6/4" (51)	black steel	02.150.00.0551		28,64
	2" (57,0)	black steel	02.150.00.0657		34,29
	2" (63,5)	black steel	02.150.00.06635		45,56
	1/2" (20)	PE	03.153.00.0120		12,34
	3/4" (25)	PE	03.153.00.0225		15,76
	1" (30)	PE	03.153.00.0330		22,23
	1" (32)	PE	03.153.00.0332		17,89
	5/4" (38,0)	PE	03.153.00.0438		32,27
	5/4" (40)	PE	03.153.00.0440		25,67
	6/4" (50)	PE	03.153.00.0550		31,35
	2" (63)	PE	03.153.00.0663		43,88
	I - compression and female thread	3/8" (17,2)	steel	01.150.01.00	15
1/2" (21,3)		steel	01.150.01.01	10	9,78
3/4" (26,9)		steel	01.150.01.02	10	12,71
1" (33,7)		steel	01.150.01.03	10	15,54
5/4" (42,4)		steel	01.150.01.04	5	20,96
6/4" (48,3)		steel	01.150.01.05	3	25,05
2" (60,3)		steel	01.150.01.06	3	38,83
1/2" (20,0)		black steel	02.150.01.0120		15,91
3/4" (25,0)		black steel	02.150.01.0225		17,24
1" (31,8)		black steel	02.150.01.03318		20,34
5/4" (38,0)		black steel	02.150.01.0438		32,70
5/4" (44,5)		black steel	02.150.01.04445		25,35
6/4" (51)		black steel	02.150.01.0551		30,29
2" (57,0)		black steel	02.150.01.0657		34,38
2" (63,5)		black steel	02.150.01.06635		46,42
1/2" (20)		PE	03.153.01.0120		14,64
3/4" (25)		PE	03.153.01.0225		16,30
1" (30)		PE	03.153.01.0330		22,23
1" (32)		PE	03.153.01.0332		17,89
5/4" (38,0)		PE	03.153.01.0438		34,21
5/4" (40)		PE	03.153.01.0440		28,34
6/4" (50)		PE	03.153.01.0550		33,00
2" (63)		PE	03.153.01.0663		46,14
O - connector		3/8" (17,2)	steel	01.150.02.00	10
	1/2" (21,3)	steel	01.150.02.01	10	14,02
	3/4" (26,9)	steel	01.150.02.02	10	19,26
	1" (33,7)	steel	01.150.02.03	10	23,50
	5/4" (42,4)	steel	01.150.02.04	5	30,10
	6/4" (48,3)	steel	01.150.02.05	3	38,33
	2" (60,3)	steel	01.150.02.06	3	56,42
	20,0 x 20,0	black steel	02.150.02.20		25,18
	25,0 x 25,0	black steel	02.150.02.25		28,60
	31,8 x 31,8	black steel	02.150.02.318		34,46
	38,0 x 38,0	black steel	02.150.02.38		55,60
	44,5 x 44,5	black steel	02.150.02.445		43,02
	51,0 x 51,0	black steel	02.150.02.51		47,43
	57,0 x 57,0	black steel	02.150.02.57		55,69
	63,5 x 63,5	black steel	02.150.02.635		72,67
	21,3 x 20	steel-PE	03.154.02.0120		22,92
	26,9 x 25	steel-PE	03.154.02.0225		26,77
	33,7 x 32	steel-PE	03.154.02.0332		25,50
	42,4 x 38	steel-PE	03.154.02.0438		46,85
	42,4 x 40	steel-PE	03.154.02.0440		43,17
	48,3 x 50	steel-PE	03.154.02.0550		45,97
	60,3 x 63	steel-PE	03.154.02.0663		58,48
	20 x 20	PE-PE	03.155.02.20		24,30
	25 x 25	PE-PE	03.155.02.25		25,13
	32 x 32	PE-PE	03.155.02.32		27,97
	38 x 38	PE-PE	03.155.02.38		55,69



PRICE LIST 2016



Gebo Special compression fittings (long version)

Description	Diameter	Application	Code	Box	DMOC
Description	Diameter	Application	Code	Box	DMOC
O - conne c-tor	40 x 40	PE-PE	03.155.02.40		45,56
	50 x 50	PE-PE	03.155.02.50		50,01
	63 x 63	PE-PE	03.155.02.63		70,80
T - Tee, downflow with female thread	3/8" (17,2)	steel	01.150.04.00		15,18
	1/2" (21,3)	steel	01.150.04.01		15,37
	3/4" (26,9)	steel	01.150.04.02		20,02
	1" (33,7)	steel	01.150.04.03		25,63
	5/4" (42,4)	steel	01.150.04.04		32,81
	6/4" (48,3)	steel	01.150.04.05		41,71
	2" (60,3)	steel	01.150.04.06		72,39
	20,0 x 20,0 x 1/2"	black steel	02.150.04.20		39,09
	25,0 x 25,0 x 3/4"	black steel	02.150.04.25		43,92
	31,8 x 31,8 x 1"	black steel	02.150.04.318		50,10
	38,0 x 38,0 x 5/4"	black steel	02.150.04.38		72,67
	44,5 x 44,5 x 5/4"	black steel	02.150.04.445		56,42
	51,0 x 51,0 x 6/4"	black steel	02.150.04.51		71,68
	57,0 x 57,0 x 2"	black steel	02.150.04.57		88,80
	63,5 x 63,5 x 2"	black steel	02.150.04.635		99,76
	26,9 x 25 x 3/4"	steel-PE	03.154.04.0225		45,56
	33,7 x 32 x 1"	steel-PE	03.154.04.0332		48,18
	42,4 x 38 x 5/4"	steel-PE	03.154.04.0438		64,22
	42,4 x 40 x 5/4"	steel-PE	03.154.04.0440		60,18
	48,3 x 50 x 6/4"	steel-PE	03.154.04.0550		73,68
	60,3 x 63 x 2"	steel-PE	03.154.04.0663		92,56
	20 x 20 x 1/2"	PE-PE	03.155.04.20		40,57
	30 x 30 x 1"	PE-PE	03.155.04.30		55,34
	32 x 32 x 1"	PE-PE	03.155.04.32		50,65
	38 x 38 x 5/4"	PE-PE	03.155.04.38		72,76
	40 x 40 x 5/4"	PE-PE	03.155.04.40		64,97
	50 x 50 x 6/4"	PE-PE	03.155.04.50		76,60
	63 x 63 x 2"	PE-PE	03.155.04.63		100,19
EK - end cap	1/2" (21,3)	steel	01.150.07.01		17,09
	3/4" (26,9)	steel	01.150.07.02		19,24
	1" (33,7)	steel	01.150.07.03		19,18
	5/4" (42,4)	steel	01.150.07.04		24,06
	6/4" (48,3)	steel	01.150.07.05		27,67
	2" (60,3)	steel	01.150.07.06		35,54
	20,0	black steel	02.150.07.20		20,38
	25,0	black steel	02.150.07.25		22,02
	31,8	black steel	02.150.07.318		26,25
	38,0	black steel	02.150.07.38		37,47
	44,5	black steel	02.150.07.445		29,30
	51,0	black steel	02.150.07.51		33,00
	57,0	black steel	02.150.07.57		42,42
	63,5	black steel	02.150.07.635		47,84
	20,0	PE	03.153.07.20		21,37
	25,0	PE	03.153.07.25		24,06
	32,0	PE	03.153.07.32		25,26
	40,0	PE	03.153.07.40		31,67
50,0	PE	03.153.07.50		34,21	
63,0	PE	03.153.07.63		46,81	
OL - connector, extra long	1/2" (21,3)	steel	01.150.03.01		36,81
	3/4" (26,9)	steel	01.150.03.02		43,67
	1" (33,7)	steel	01.150.03.03		45,30
	5/4" (42,4)	steel	01.150.03.04		58,22
	6/4" (48,3)	steel	01.150.03.05		64,67
	2" (60,3)	steel	01.150.03.06		74,67
	26,9 x 25	steel-PE	03.154.03.0225		30,29
	33,7 x 32	steel-PE	03.154.03.0332		48,76
	42,4 x 40	steel-PE	03.154.03.0440		63,90
	48,3 x 50	steel-PE	03.154.03.0550		68,52
	60,3 x 63	steel-PE	03.154.03.0663		85,59
	32 x 32	PE-PE	03.155.03.32		53,60
	40 x 40	PE-PE	03.155.03.40		68,76
	50 x 50	PE-PE	03.155.03.50		71,47
	63 x 63	PE-PE	03.155.03.63		93,27
	WO - elbow 90° 2 compressio n ends	1/2" (21,3)	steel	01.150.08.01	
3/4" (26,9)		steel	01.150.08.02		38,64
1" (33,7)		steel	01.150.08.03		42,81
5/4" (42,4)		steel	01.150.08.04		51,82
6/4" (48,3)		steel	01.150.08.05		58,14



PRICE LIST 2016



Gebo Special compression fittings (long version)

Description	Diameter	Application	Code	Box	DMOC
WO - elbow 90° - 2 compression ends	2" (60,3)	steel	01.150.08.06		78,52
	21,3 x 20	steel-PE	03.154.08.0120		37,95
	26,9 x 25	steel-PE	03.154.08.0225		43,88
	33,7 x 32	steel-PE	03.154.08.0332		48,57
	42,4 x 40	steel-PE	03.154.08.0440		59,88
	48,3 x 50	steel-PE	03.154.08.0550		65,51
	60,3 x 63	steel-PE	03.154.08.0663		89,44
	20 x 20	PE-PE	03.155.08.20		39,30
	25 x 25	PE-PE	03.155.08.25		45,80
	32 x 32	PE-PE	03.155.08.32		48,74
	40 x 40	PE-PE	03.155.08.40		64,67
	50 x 50	PE-PE	03.155.08.50		68,43
	63 x 63	PE-PE	03.155.08.63		97,14
	WA - elbow 90° with male thread	1" (33,7)	steel	01.150.09.03	
6/4" (48,3)		steel	01.150.09.05		43,02
2" (60,3)		steel	01.150.09.06		57,15
1" x 32		PE	03.153.09.0332		35,43
6/4" x 50		PE	03.153.09.0550		48,18
2" x 63		PE	03.153.09.0663		65,51
OR - reducing connector	1"x3/4"	steel	01.150.02.0302		26,38
	5/4"x3/4"	steel	01.150.02.0402		43,58
	5/4"x1"	steel	01.150.02.0403		44,98
	6/4"x1"	steel	01.150.02.0503		48,74
	6/4"x5/4"	steel	01.150.02.0504		52,55
	2"x5/4"	steel	01.150.02.0604		60,63
	2"x6/4"	steel	01.150.02.0605		62,61
	26,9 x 32	steel-PE	03.154.02.0232		27,56
	26,9 x 40	steel-PE	03.154.02.0240		49,26
	33,7 x 25	steel-PE	03.154.02.0325		27,03
	33,7 x 40	steel-PE	03.154.02.0340		48,35
	33,7 x 50	steel-PE	03.154.02.0350		52,59
	42,4 x 25	steel-PE	03.154.02.0425		44,14
	42,4 x 32	steel-PE	03.154.02.0432		41,45
	42,4 x 50	steel-PE	03.154.02.0450		56,42
	42,4 x 63	steel-PE	03.154.02.0463		69,23
	48,3 x 32	steel-PE	03.154.02.0532		49,84
	48,3 x 40	steel-PE	03.154.02.0540		55,88
	48,3 x 63	steel-PE	03.154.02.0563		71,23
	60,3 x 40	steel-PE	03.154.02.0640		63,96
	60,3 x 50	steel-PE	03.154.02.0650		64,20
	25 x 32	PE-PE	03.155.02.2532		27,13
	25 x 40	PE-PE	03.155.02.2540		47,17
	32 x 40	PE-PE	03.155.02.3240		53,58
	32 x 50	PE-PE	03.155.02.3250		55,51
	40 x 50	PE-PE	03.155.02.4050		61,58
40 x 63	PE-PE	03.155.02.4063		75,21	
50 x 63	PE-PE	03.155.02.5063		74,58	



PRICE LIST 2016



Gebo Special flanged compression fittings

Description	Diameter	Application	Code	DMOG
AF- with male thread	2 1/2" (76,1)	steel pipe	01.220.00.07	73,87
	3" (88,9)	steel pipe	01.220.00.08	94,82
	4" (114,3)	steel pipe	01.220.00.09	156,18
	2 1/2"×70mm	black steel pipe	02.220.00.70	141,19
	2 1/2"×82,5mm	black steel pipe	02.220.00.07825	194,6
	4"×108mm	black steel pipe	02.220.00.108	237,66
	2 1/2"×75mm	PE pipe	03.220.00.0775	146,35
	3"×90mm	PE pipe	03.220.00.0890	173,89
	4"×110mm	PE pipe	03.220.00.09110	236,41
IF- with female thread	2 1/2" (76,1)	steel pipe	01.220.01.07	82,45
	3" (88,9)	steel pipe	01.220.01.08	88,75
	4" (114,3)	steel pipe	01.220.01.09	145,38
	2 1/2"×70mm	black steel pipe	02.220.01.70	139,77
	2 1/2"×82,5mm	black steel pipe	02.220.01.07825	193,18
	4"×108mm	black steel pipe	02.220.01.108	224,37
	2 1/2"×75mm	PE pipe	03.220.01.0775	144,95
	3"×90mm	PE pipe	03.220.01.0890	168,37
	4"×110mm	PE pipe	03.220.01.09110	223,17
OF- connector	2 1/2" (76,1)	steel pipe	01.220.02.07	114,19
	3" (88,9)	steel pipe	01.220.02.08	132,57
	4" (114,3)	steel pipe	01.220.02.09	207,99
	70×70mm	black steel pipe	02.220.02.70	256,11
	108×108mm	black steel pipe	02.220.02.108	366,58
	76,1 x 75	steel-PE	03.220.02.0775	243,83
	88,9 x 90	steel-PE	03.220.02.0890	260,45
	114,3 x 110	steel-PE	03.220.02.09110	354,84
	75×75mm	PE pipe	03.220.02.75	243,68
	90×90mm	PE pipe	03.220.02.90	260,3
	110×110mm	PE pipe	03.220.02.110	364,12
TF- Tee, downflow with female thread	2 1/2" (76,1)	steel pipe	01.220.04.07	154,65
	3" (88,9)	steel pipe	01.220.04.08	183,55
	4" (114,3)	steel pipe	01.220.04.09	229,92
	70×70mm	black steel pipe	02.220.04.70	238,52
	108×108mm	black steel pipe	02.220.04.108	416,71
	76,1 x 75 x 2 1/2"	steel-PE	03.220.04.0775	148,18
	88,9 x 90 x 3"	steel-PE	03.220.04.0890	305,67
	114,3 x 110 x 4"	steel-PE	03.220.04.09110	405,21
	75×75mm	PE pipe	03.220.04.75	225,54
	110×110mm	PE pipe	03.220.04.110	414,26
EKF	70,0	black steel pipe	02.220.07.70	158,5



PRICE LIST 2016



Gebo Brass compression fittings and clamps

Description	Diameter	Application	Code	DMOC
MAS - compression fitting with male thread	1/2"x15mm	brass pipe	04.310.00.0115	18,32
	1/2"x16mm	brass pipe	04.310.00.0116	22,45
	1/2"x18mm	brass pipe	04.310.00.0118	28,72
	3/4"x22mm	brass pipe	04.310.00.0222	23,46
	1"x28mm	brass pipe	04.310.00.0328	30,47
	1 1/4"x35mm	brass pipe	04.310.00.0435	44,33
	1 1/2"x42mm	brass pipe	04.310.00.0542	69,45
2"x54mm	brass pipe	04.310.00.0654	97,31	
MO - connector	15mm	brass pipe	04.310.02.15	28,81
	18mm	brass pipe	04.310.02.18	51,13
	22mm	brass pipe	04.310.02.22	42,81
	28mm	brass pipe	04.310.02.28	84,95
	35mm	brass pipe	04.310.02.35	94,64
	42mm	brass pipe	04.310.02.42	119,35
	54mm	brass pipe	04.310.02.54	115,26
MD - sealing clamp	10 mm	brass pipe	04.620.60.10	4,06
	12 mm	brass pipe	04.620.60.12	4,26
	14 mm	brass pipe	04.620.60.14	5,57
	15 mm	brass pipe	04.620.60.15	5,78
	16 mm	brass pipe	04.620.60.16	6,64
	18 mm	brass pipe	04.620.60.18	5,91
	22 mm	brass pipe	04.620.60.22	6,90
	28 mm	brass pipe	04.620.60.28	8,90
	35 mm	brass pipe	04.620.60.35	10,15
	42 mm	brass pipe	04.620.60.42	13,98
	54 mm	brass pipe	04.620.60.54	20,51
	64 mm	brass pipe	04.620.60.64	26,81
70 mm	brass pipe	04.620.60.70	77,44	
MB - tapping clamp	15mm×1/2"	brass pipe	04.621.60.1501	7,80
	18mm×1/2"	brass pipe	04.621.60.1801	7,85
	22mm×1/2"	brass pipe	04.621.60.2201	8,69
	28mm×3/4"	brass pipe	04.621.60.2802	9,63
	35mm×3/4"	brass and lead pipe	04.621.60.3502	12,10
	42mm×1"	brass pipe	04.621.60.4203	14,73
54mm×5/4"	brass pipe	04.621.60.5404	22,98	



